

参考文献

第1章 現代人はほとんど原始人

- Lunghi, C et al, 2015. *A cycling lane for brain rewiring*. Current biology. DOI:10.1016/j.cub.2015.10.026.
- Smith, S et al, 2015. *A positive-negative mode of population covariation links brain connectivity, demographics and behavior*. Nature neurosci. 2015; 18:1565-7.
- Voss, M et al. *Plasticity of brain networks in a randomized intervention trial of exercise training in older adults*. Frontiers in aging neuroscience 2010. DOI:10.3389/fnagi.2010.00032.

第2章 脳から「ストレス」を取り払う

- Agudelo, L et al, 2014. *Skeletal muscle PGC-1 α 1 modulates kynurenine metabolism and mediates resilience to stress-induced depression*. Cell.
- American Psychological Association, 2015. *Stress in America: paying with our health*.
- Bonhauser, M et al, 2005. Health Promotion International. DOI: 10.1093/heapro/dah603.
- Colcombe SJ, Erickson KI, Scalf PE, et al. *Aerobic exercise training increases brain volume in aging humans*. J Gerontol A Biol Sci Med Sci. 2006;61:1166-70.
- Dishman, R et al. *Increased open field locomotion and decreased striatal GABAA binding after activity wheel running*. Physiol Behav. 1996; 60(3):699-705.
- Erickson, K et al. *Physical activity, fitness, and gray matter volume*. DOI:10.1016/j.neurobiolaging.2014.03.034.
- Feinstein, J et al. *The human amygdala and the induction and experience of fear*. Current Biology, 2011. DOI: <http://dx.doi.org/10.1016/j.cub.2010.11.042>.
- Hassmén, P et al, 2000. *Physical exercise and psychological well-being: a population study in Finland*. Prev Med. 2000 Jan; 30(1):17-25.
- Kim, M et al. *The structural integrity of an amygdala-prefrontal pathway predicts trait anxiety*. Journal of Neuroscience 2009, 29(37);11614-11618.
- Monk, S et al. *Amygdala and ventrolateral prefrontal cortex activation to masked angry faces in children and adolescents with generalized anxiety disorder*. Arch gen psychiatry, 2008. DOI: 10.1001/archpsyc.65.5.568.
- Ströhle, A et al. *The acute antipanic and anxiolytic activity of aerobic exercise in patients with panic disorder and healthy control subjects*. Journal of psychiatric research, 2009; 43:1013-1017.
- Tromp, D et al. *Reduced structural connectivity of a major frontolimbic pathway in generalized anxiety disorder*. Archives of General Psychiatry, 2012; 69 (9):925-934.

- ・ Zschuncke, E et al. *Psychoendocrinology* 2015; 51:414-425.

第3章 「集中力」を取り戻せ!

- ・ Beak, D et al, 2014. *Effect of treadmill exercise on social interaction and tyrosine hydroxylase expression in the attention-deficit/hyperactivity disorder rats.* Journal of exercise rehabilitation.
- ・ Bubl, E et al, 2015. *Elevated background noise in adult attention deficit hyperactivity disorder is associated with inattention.* PLoS One DOI:10.1371/journal.pone.0118271.
- ・ Colcombe, S et al. *Cardiovascular fitness, cortical plasticity, and aging.* PNAS 2004.
- ・ Eun-Sang, J et al, 2014. *Duration-dependence of the effect of treadmill exercise on hyperactivity in attention deficit hyperactivity disorder rats.* Journal of exercise rehabilitation 2014 ; 10 (2) 75-80.
- ・ Hillman, C et al. *Effects of the FITKids randomized controlled trial on executive control and brain function.* Pediatrics. 2014.;134:e 1063-1071.
- ・ Hoang, T et al. *JAMA Psychiatry* 2015. DOI: 10.1001/jamapsychiatry.2015.2468.
- ・ Hoza, B et al. *A randomized trial examining the effects of aerobic physical activity on attention-deficit/hyperactivity disorder symptoms in young children.* J Abnorm child psychol (2015), 43;655-667.
- ・ Silva, A et al. *Measurement of the effect of physical exercise on the concentration of individuals with ADHD.* PLoS One. DOI: 10.1371/journal.pone.0122119.
- ・ Smith, A et al, 2013. *Pilot physical activity intervention reduces severity of ADHD symptoms in young children.* Journal of Attention disorders 2013, 17(1) 70-82.
- ・ Volkow, N et al. *Evaluating Dopamine Reward Pathway in ADHD:clinical implications.* JAMA 2009; 302(10):1084-1091.

第4章 うつ・モチベーションの科学

- ・ Arai, Y et al. *Percept mot skills* (1998). 87, 1371-1375.
- ・ Blumenthal, J et al. *Arch Intern Med.* 1999; 159(19):2349-2356.
- ・ Dwivedi, Y et al, 2003. *Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects.* Arch Gen Psychiatry. 2003; 60: 804-815.
- ・ Fernandes et al. *Leptin suppresses the rewarding effects of running via STAT3 signaling in dopamine neurons.* Cell metabolism, 2015.
- ・ Gustafsson et al, 2009. *Psychiatry Res* 169(3), 244-248.
- ・ Hassmen et al, 2000.
- ・ Lang, U et al, 2004. *BDNF Serum concentrations in healthy volunteers are associated with depression-related personality traits.* Neuropsychopharmacology 29, 795-798.
- ・ Mammen, G et al, 2013. *Physical activity and the prevention of depression: a systematic review of prospective studies.* Am J Prev Med 2013; 45(5): 649-657.

- Numakawa, T et al. *The role of brain-derived neurotrophic factor in comorbid depression: Possible linkage with steroid hormones, cytokines, and nutrition.* *Frontiers in psychiatry* 2014. DOI:10.3389/fpsyt.2014.00136.
- Potgeiter, J R et al. *Percept mot skills* (1998). 81, 520-522.
- Rothman, S et al. *Activity-dependent, stress-responsive BDNF signaling and the quest for optimal brain health and resilience throughout the lifespan.* *Neuroscience* 2013, June 3; 239:228-240.

第5章 「記憶力」を極限まで高める

- Bartol, T et al. *ELife* 2016, doi.org/10.7554/eLife.10778.
- Chapman, S et al. *Shorter term aerobic exercise improves brain, cognition, and cardiovascular fitness in aging.* *Front Aging neurosci.*, 12 November 2013. DOI:10.3389/fnagi.2013.00075.
- Erickson, K et al, 2010. *Exercise training increases size of hippocampus and improves memory.* *PNAS* 2010. DOI: 10.1073/pnas.1015950108.
- Eriksson, P et al, 1998. *Neurogenesis in the adult human hippocampus.* *Nature medicine* 4, 1313-1317 (1998).
- Fastenrath, M et al, 2014. *Dynamic modulation of amygdala-hippocampal connectivity by emotional arousal.* *The Journal of Neuroscience*, 2014, 34(42): 13935-13947; DOI:10.1523/JNEUROSCI.0786-14.2014.
- *Journal of neuroscience*, 15 October 2014, 34(42):13935-13947. DOI:10.1523/JNEUROSCI.0786-14.2014.
- Kohman, R et al. *Voluntary wheel running reverses age-induced changes in hippocampal gene expression.* *PLoS One* 2011. DOI:10.1371/journal.pone.0022654.
- Leraci, A et al. *Physical exercise and acute restraint stress differentially modulate hippocampal BDNF transcripts and epigenetic mechanisms in mice.* *Hippocampus* 2015. Mar 26. DOI:10.1002/hipo.22458.
- O'Keefe, J (1976). *Place units in the hippocampus of the freely moving rat.* *Experimental neurology* 51, 78-109.
- Pereira, A et al. *An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus.* *PNAS* 2007. DOI:10.1073/pnas.0611721104.
- Rhodes, J et al, 2005. *Neurobiology of mice selected for high voluntary wheel-running activity.* *integr comp biol*, 2005.45:438-455.
- Roig, M et al, 2012. *A single bout of exercise improves motor memory.* *PLoS One*. DOI:10.1371/journal.pone.0044594.
- Schmidt-Kassow, M et al. *Physical exercise during encoding improves vocabulary learning in young female adults: A neuroendocrinological study.* *PLoS One* 2013; 8(5):e64172.
- Smith, C. *Medial temporal lobe activity during retrieval of semantic memory is related to the age of the memory.* *Journal of neuroscience*, 2009. DOI:10.1523/JNEUROSCI.4545-08.2009.
- Winter, B et al, 2007. *High impact running improves learning.* *Neurobiology of learning and memory.* DOI:10.1016/j.nlm.2006.11.003.

第6章 頭のなかから「アイデア」を取り出す

- ・ モーツァルトの手紙は偽りだったというエピソードは、イギリス人のケヴィン・アシュトンの著作『馬を飛ばそう』（門脇弘典訳、日経BP社、2015年）と、スウェーデンの工業新聞「Dagens Industri」（2015年5月）に掲載された、ヤン・グラードヴァルのエッセイを参考にした。
- ・ Colzato, L et al. *Frontiers in neuroscience*. DOI:10.3389/fnhum.2013.00824.
- ・ Oppezzo, M et al, 2014. *Give your ideas some legs: the positive effect of walking on creative thinking*. *Journal of experimental psychology: Learning, memory, and cognition* 2014; 40;4:1142-1152.
- ・ Steinberg, H et al, 1997. *Exercise enhances creativity independently of mood*. *Br J sports med* 1997;31: 240-245.

第7章 「学力」を伸ばす

- ・ Burzynska, A et al, 2014. *Physical activity and cardiorespiratory fitness are beneficial for white matter in low-fit older adults*. *PLoS One* 2014. DOI: 10.1371/journal.pone.0107413.
- ・ Castelli, D et al. *J Sport exerc. psychol.* 2007 Apr; 29(2):239-52.
- ・ Chaddock, L et al. *A neuroimaging investigation of the association between aerobic fitness, hippocampal volume, and memory performance in preadolescent children*. *Brain Res*, 2010. 1358:172-183.
- ・ Chaddock-Heyman, L et al, 2014. *Aerobic fitness is associated with greater white matter integrity in children*. *Front Hum Neurosci*. <http://dx.doi.org/10.3389/fnhum.2014.00584>.
- ・ Davis, C et al, 2011. *Health psychology*, vol 30 (1), 91-98.
- ・ Davis, C et al, 2011. *Exercise improves executive function and achievement and alters brain activation in overweight children: A randomized, controlled trial*. *Health psychology* 2011, vol 30 (1), 91-98.
- ・ Hillman, C et al. *The effect of acute treadmill walking on cognitive control and academic achievement in preadolescent children*. *Neuroscience* 2009, 159(3): 1044-1054.
- ・ Ma, J et al, 2015. *Four minutes of in-class high-intensity interval activity improves selective attention in 9- to 11-year olds*. *Applied Physiology Nutrition and Metabolism* 2014 DOI:10.1139/apnm-2014-0309.
 - ・ Martikainen, S et al. *Higher levels of physical activity are associated with lower hypothalamic-pituitary-adrenocortical axis reactivity to psychosocial stress in children*. *Journal of clinical endocrinology and metabolism* 2012. DOI:10.1210/jc.2012-3745.
- ・ Mehta, R et al, 2015. *Standing up for learning: A pilot investigation on the neurocognitive benefits of stand-biased school desks*. *Int. J. Environ. Res. Public Health* 2015, 13, 0059. DOI:10.3390/ijerph13010059.
- ・ Nyberg, J et al, 2013. *Cardiovascular fitness and later risk of epilepsy: a Swedish population-based cohort study*. *Neurology*. 2013 Sep 17;81(12):1051-7.
- ・ Rasberry, C et al. *Prev.Med.* 2011 Jun;52 Suppl1:s 10-20. DOI:10.1016/j.yjmed.2011.01.027. Epub 2011 Feb1.
- ・ Raine, L et al. *The influence of childhood aerobic fitness on learning and memory*.

PLoS One 2013. DOI:10.1371/journal.pone.0072666.

- ・ Rauner, R et al, 2013. *Evidence that aerobic fitness is more salient than weight status in predicting standardized math and reading outcomes in fourth-through eighth-grade students.* Pediatrics. DOI:10.1016/j.jpeds.2013.01.006.
- ・ Tine, M et al, 2014. *Acute aerobic exercise: an intervention for the selective visual attention and reading comprehension of low-income adolescents.* Frontiers in psychology 2014. <http://dx.doi.org/10.3389/fpsyg.2014.00575>.
- ・ Van Eimeren et al, 2008. *White matter microstructures underlying mathematical abilities in children.* NeuroReport. DOI:10.1097/WNR.0b013e328307f5c1.
- ・ Åberg, M et al, 2009. *Cardiovascular fitness is associated with cognition in young adulthood.* PNAS USA.2009 Dec 8; 106(49):20906-11.

第8章 健康脳

- ・ Colcombe, S et al, 2006. *Aerobic exercise training increases brain volume in aging humans.* J Gerontol A Biol Sci Med Sci. 2006; 61: 1166-70.
- ・ Hyodo, K et al. *The association between aerobic fitness and cognitive function in older men mediated by frontal lateralization.* Neuroimage 2015. DOI:10.1016/j.neuroimage.2015.09.062.
- ・ Rovio, S et al. *Leisure-time physical activity at midlife and the risk of dementia and Alzheimer's disease.* Lancet Neurology, 2005.
- ・ Sanchez, M et al, 2011. *BDNF polymorphism predicts the rate of decline in skilled task performance and hippocampal volume in healthy individuals.* Translational Psychiatry (2011)1, e51, DOI:10.1038/tp.2011.47.
- ・ Weuve, J et al. *Physical activity, including walking, and cognitive function in older women.* <http://jama.jamanetwork.com/article.aspx?articleid=199487>.
- ・ Tian, Q et al. *Midlife and late-life cardiorespiratory fitness and brain volume changes in late adulthood: Results from the Baltimore longitudinal study of aging.* J Gerontol A Bio Sci Med Sci, 2016. DOI:10.1093/gerona/glv041.

第9章 最も動く祖先が生き残った

- ・ 「ルーシー」から「ホモ・エレクトス」、そして「ホモ・サピエンス」へと進化したという説には根拠がない。私たちの祖先は「ホモ・エレクトス」と同時期に生きていたと考えられている。
- ・ Florio, M et al. *Human-specific gene ARHGAP11B promotes basal progenitor amplification and neocortex expansion.* Science. DOI: 10.1126/science.aaa1975.
- ・ Raichlen, D et al, 2011. *Relationship between exercise capacity and brain size in mammals.* PLoS One 2011; 6(6):e 20601.
- ・ Raichlen, D et al, 2013. *Linking brains and brawn: exercise and the evolution of human neurobiology.* Proc Biol Sci. 2013. DOI: 10.1098/rspb.2012.2250